Information for users EN

EN 420:2003+A1:2009 EN 388:2003 EN 511:2006 PPE CATEGORY II

Read the instructions carefully.

Complies with the requirements of the Regulation (EU) 2016/425

| I I ouuct. | Willier gloves. | | | | | | |
|------------|-----------------------|---------|-----------------|-------|----------|--------------------|----------|
| Design: | "ROXY WINTER" | Code: | 3700 010 160 XX | Size: | 7, 8, 10 | Production design: | 12101010 |
| Material: | 100% Acrylic, coating | g Latex | | | | | |

Purpose: They may serve as a protection of hands against dirt and protection in the working areas where workers have to face mechanical hazards also at the cold environments. Designed for manipulating materials in both dry and damp environments. Put the gloves on dry, clean hands.

| | environments: Designed for mamparating | • | _ | e groves on ary, elean names. | | |
|-----------------|--|---------------------|---------------|---|--|--|
| The gloves we | The protection works only | | | | | |
| the protection | against the specified hazards. | | | | | |
| A (0-4) | Abrasion resistance | Performance level 2 | | Do not use the gloves as a | | |
| B (0-5) | Cut resistance | Performance level 2 | (<u>i=</u>) | protection against different | | |
| C (0-4) | Tear resistance | Performance level 2 | | hazards and classes. The results apply only for the | | |
| D (0-4) | Puncture resistance | Performance level 1 | A.B.C.D. | model classes, not for the | | |
| EN 511 – Prot | EN 511 – Protective gloves against cold | | | | | |
| a (0-4) | Resistance to convective cold | Performance level X | | The protection levels (classes) are determined | | |
| b (0-4) | Resistance to contact cold | Performance level 2 | (***) | based on the tests carried out | | |
| C (0 or 1) | Water penetration | Performance level X | a.b.c. | in accordance with the conditions determined in the | | |
| EN 420 - prote | valid standards specified here. As for the gloves with | | | | | |
| (1-5) | Dexterity | Performance level 5 | | two or more layers it does not | | |
| ,,X" = test not | necessarily reflect the properties of the outer layer. | | | | | |

Please note: The user must check the gloves before and after use to verify that they are in the required condition. Do not use as a protection against different hazards and classes. Do not use for manipulating hot or heated objects, toxic chemicals or greasy objects. Gloves material may be damaged by oil, mineral oil, greasy and solvent organic. Not resistant to soaking. Gloves can when soaked lose their insulating properties.

It is not allowed to wear these gloves in cases with risk of entanglement with moving parts of machines. The mentioned facts may help the user for rational use of this type of protective gloves. It is the responsibility of every user to judge, whether the gloves are used in suitable conditions. Maintenance, lifetime: After use, make sure the gloves are removed from all pollutants. To prolong the life of the glove. The gloves are designed for single or short-term use only. Damp gloves should be dried out at a room temperature. Wash in hand, max wash bath temperature 30 °C. Any dirt should be brushed out using a soft brush, nitrile Wipe with a damp cloth. Do not clean chemically, bleach, dry in a tumble dryer, or iron. The gloves that are worn through, have holes burned through, or are hard must be replaced. We are not responsible for possible reduction of the protective function caused by improper maintenance. Under suitable storage conditions, shelf life is 2 years.

Storing and transport: Storing in a clean, dry and ventilated place at the room temperature, without any contamination by moisture, dirt, mould, or other agents reducing the level of protection. Do not expose it to solar radiation. The supplier doesn't provide warranty for such damage. Carry them preferably in original package.

Accessories: The product is supplied without accessories.

Dangerous admixtures: The gloves contain allergen - Latex. They may cause an allergic reaction if used by sensitive people, including anaphylactic shock. If skin irritation or allergic reaction contact, do not use gloves and seek medical advice.

Disposal: Dispose of used gloves with respect of the soiling level according to the applicable disposal regulations and the regulations of the local authority. Unused gloves can be disposed of with domestic waste.

The Notified Body that performs conformity assessment:

Notified Body No. 0075, CTC 4 rue Hermann Frenkel 69367 Lyon cedex 07 France.

The Declaration of Conformity can be found here: www.canis.cz; for individual products, in the bar "Documents to download".

| Marking - example: | | | | |
|--------------------|---|--|--|--|
| "ROXY WINTER" | Type of gloves | | | |
| 8 | Size | | | |
| EN388 | Pictogram and number of the standard that the product complies with | ROXY WINTER | 100% creamy aloyl, leterouse permittens/ 100% creamy aloyl, laterouse permittens/ 100% transfer desprite, laterouse permittens/ szcznikowany aloyl, powdoka tatelkowa | |
| 2221 X2X | Results of the tests carried out | | © <u>&</u> ⊠ ≥ ⊗ | |
| C€ | Conformity mark | | 3700 010 160 08 | |
| cat II | Glove category | EN511 EN388 Kil/2019 Cat X2X 2221 | A ZA/2019/200 | |
| Ţį. | Symbol indicating the necessity to read the instructions | XI/2019 cat II X2X 2221 CANIS SAFETY a.s. PODĚBRADSKÁ 260/59, HLOUBĚTÍN, 198 00 PRAHA 9, CZECH REPUBLIC | 8 591940 070984 > | |
| "A" | Production identification | - 100 00 THAIR O, OLLOTTILE OLLO | CANIS SAFETY a.s. Poděbradská 260/59, Hloubědin, 198 00 Praha 9, CZECH REPUBLIC | |
| 12101010 | Production design | | | |
| ZA/2019/200 | LOT | | | |
| Cos | Manufacturer identification | | | |

